


AUDIOVOX®

VXE 6020 NAV



2 DIN Widescreen Navigations-/Multimedia-Receiver mit 16 cm LCD-Touchscreen und LED Backlight

2 DIN Widescreen Navigation/Multimedia-Receiver with 6.2" LCD Touchscreen and LED Backlight



AUDIOVOX®

VXE 6020 NAV



2 DIN Widescreen Navigations-/Multimedia- Receiver mit 16 cm LCD-Touchscreen und LED Backlight

BESONDERHEITEN

- 16 cm/6.2" Digital-TFT-Monitor mit LCD-Touchscreen und LED-Backlight
- Multimedia DVD/CD/MPEG4/Xvid/MP3 -Player
- High-Definition-Navigationssystem iGo Primo 2 mit TMC
- Kartenmaterial für 44 europäische Länder
- 15 TTS-Sprachen (Text to Speech, Ansage der Straßennamen)
- MTK Bluetooth-Freisprecheinrichtung mit internem Mikrofon und Audio Streaming (A2DP/AVRCP)
- UKW/MW-Radio mit den RDS-Funktionen AF (Alternative Frequenzen), RT (Radiotext), TA (Verkehrsmeldungen), EON (Enhanced Other Networks), CT (Uhrzeitsynchronisation), PTY (Programm-Typen)
- 10-Band-Equalizer mit 6 voreingestellten und 1 benutzerdefinierten Equalizerkurve
- Subwoofer Control
- Composite-Video-Ausgang hinten zum Anschluss eines zusätzlichen Monitors
- Media-Eingänge (Mini USB /3,5 mm A/V-Buchse) auf der Frontseite
- SD-Karten-Slot auf Frontseite
- 5 Line-Audio-Ausgänge
- Videoeingang für Rückfahrkamera (Normalbild und Spiegelbild), automatische Umschaltung Rear-Kamera
- Ausgangsleistung: 4 x 40 Watt, Gesamtausgangsleistung: 160 Watt
- Lenkradfernbedienung/SWC-Anschluss, frei programmierbar, Anschluss durch optional erhältlichen Adapter
- Display mit 4facher Dimm- und Auto-Blackout-Funktion
- Windows 6.0 CE Echtzeitbetriebssystem mit intuitiver Bedieneroberfläche

DVD
VIDEO

NNiGNTiON

Bluetooth™

POWER
Soundpaket

Media
Player

SWC
ready

AUDIOVOX®

VXE 6020 NAV



2 DIN Widescreen Navigations-/Multimedia- Receiver with 6.2" LCD-Touchscreen and LED Backlight

HIGHLIGHTS

- 16 cm/6.2 digital TFT monitor with LCD touchscreen and LED Backlight
- Multimedia DVD/CD/MPEG4/Xvid/MP3 Player
- High definition navigation system iGo Primo 2 with TMC
- Map material for 44 European countries
- 15 TTS voices (Text to Speech)
- MTK Bluetooth hands-free profile via internal and separate microphone and Audio Streaming (A2DP/AVRCP)
- FM/AM tuner with RDS functions (AF (Alternative Frequencies), CT (Clock Time), EON (Enhanced Other Networks), PS (Program Service), PTY (Program Types), RT (Radio Text), TA (Traffic Announcement), TP (Traffic Program))
- Ten-Band Equalizer with 6 preset + 1 user-defined EQ curves
- Subwoofer Control
- Composite Video output at the rear side for connection of an additional monitor
- Media inputs (Mini USB /3.5 mm A/V connector) on the front side
- SD card slot at the front side
- 5 Line Audio outputs
- Video input for Rear Camera mode (normal & mirror image), automatic switch-on of Rear Camera mode
- Power output 4 x 40 watts / total: 160 watts
- Freely programmable SWC adapter, connection by optional adapter
- Display with 4x dimmer and Auto Blackout function
- Windows 6.0 CE real-time operating system with intuitive graphical interface

DVD
VIDEO

NNiGNTiO7

Bluetooth™

POWER
Soundpaket

Media
Player

SWC
ready

AUDIOVOX®

VXE 6020 NAV

Artikelnummer: 150 8602
EAN: 40 39684 08602 0

TECHNISCHE DATEN

DVD/CD-Player

- Kompatible Disk-Medien: DVD \pm R/ \pm RW (Single und Dual Layer) und CD-R/-RW
- Kompatible Medienformate: CD-DA, MP3, VCD, SVCD, Xvid, AVI, MPEG 1/2/4
- Rauschabstand: >90 dBA
- Dynamikbereich: >90 dB
- Frequenzgang: 20 Hz bis 20 kHz, -3 dB
- Übersprechdämpfung: > 60 dB bei 1 kHz
- Digital/Analog-Wandler: High Performance 24 Bit/96 kHz Abtastrate, Multi-Bit Sigma-Delta Modulator

Video

- Format: PAL / NTSC (automatische Erkennung)
- Ausgang: 1 Vp-p (75 Ohm)
- Eingang: 1 Vp-p (75 Ohm)

CD / MP3

- CD-Text-kompatibel
- ID3-Tag-kompatibel
- Verzeichnissuche (nur MP3)
- Abspielen von selbsterstellten CD-R/-RW mit bis zu 999 MP3-Dateien
- Lesen von Unterverzeichnissen (bis zu 8facher Unterverzeichnistiefe)

UKW-Radio

- RDS (Radio Data System): AF (Alternative Frequenzen), CT (Uhrzeitsynchronisation), EON (Enhanced Other Networks), PS (Programm Service), PTY (Programm-Typen), RT (Radiotext), TA (Verkehrsmeldungen), TP (Verkehrssender)
- Abstimmbereich: 87,5 MHz – 107,9 MHz
- 18 Sender-Speicherplätze
- Lokal/Distanz
- Mono-Rauschempfindlichkeit (-30 dB): 9 dB
- Empfindlichkeit bei Rauschabstand (-50 dB): 15 dB
- Trennschärfe: 70 dB
- Rauschabstand bei 1 kHz: 58 dB
- Frequenzgang: 30 Hz – 15 kHz, -3 dB

MW-Radio

- Abstimmbereich: 522 kHz – 1620 kHz
- 12 Sender-Speicherplätze

Navigationssystem

- NAV-Engine-Software iGo Primo 2
- TMC
- Text to Speech Navigationsführung

- 8 GB Micro SD-Karte
- GPS-Antenne
- Kartenmaterial für 44 Europäische Länder
Westeuropäische Länder: Andorra, Österreich, Belgien, Dänemark, Finnland, Frankreich, Deutschland, Gibraltar, Republik Irland, Italien, Liechtenstein, Luxemburg, Malta, Monaco, Niederlande, Norwegen, Portugal, San Marino, Spanien, Schweden, Schweiz, Großbritannien, Vatikanstadt
Osteuropäische Länder: Albanien, Bosnien und Herzegowina, Bulgarien, Kroatien, Tschechische Republik, Estland, Griechenland, Ungarn, Lettland, Litauen, Mazedonien, Moldawien, Montenegro, Polen, Rumänien, Serbien, Slowakei, Slowenien, Türkei, Ukraine, Weißrussland
- 15 TTS Sprachen (Text to Speech, Ansage der Straßennamen): Dänisch, Niederländisch, Englisch (UK), Englisch (US), Finnisch, Französisch, Deutsch, Griechisch, Italienisch, Norwegisch, Polnisch, Portugiesisch, Spanisch, Schwedisch, Türkisch
- Navigations-Mix-Modus
- Latest Map Garantie, Kartenupdate unter www.naviextras.com bis 30 Tage nach Empfang des ersten GPS-Signals

Bluetooth

- Freisprecheinrichtung mit integriertem Mikrofon
- Audiostreaming
- MTK MT6622 Bluetooth-Modul mit AVRCP/A2DP-Profil

Monitor

- Bildschirmgröße: 16 cm/6.2" Digital LCD Touchscreen mit LED Backlight
- Typ: High Definition TFT-Monitor mit LCD-Display (Liquid Crystal Display)
- Auflösung: 1.152.000 Sub-Pixel, 800x3 (B) x 480 (H)
- Dimmer-Funktion für TFT-Monitor (Nacht / dunkel / normal / hell)
- Auto-Blackout-Funktion für TFT-Monitor (10s/20s/Aus)

Leistungsangaben

- Gesamtausgangsleistung: 160 Watt
- Ausgangsleistung: 4 x 40 Watt
- Rauschabstand: 70 dBA unter Referenzwert (Referenzwert: 1 Watt, 4 Ohm)
- Frequenzgang: 20 Hz – 20 kHz, -3 dB (bei AUX-Eingang als Referenzeingang) (Bildschirm) eingestellt

AUDIOVOX®

VXE 6020 NAV

Article number: 150 8602
EAN: 40 39684 08602 0

TECHNICAL FEATURES

DVD/CD Player

- Compatible Disc Media: DVD + R / RW (Single and Dual Layer) and CD-R / RW
- Compatible Media Formats: CD-DA, MP3, VCD, SVCD, Xvid, AVI, MPEG 1/2/4
- Signal to Noise Ratio: >90 dBA
- Dynamic Range: >90 dB
- Frequency Response: 20Hz to 20 kHz, -3dB
- Channel Separation: > 60dB @ 1 kHz
- D/A Converter: High performance 24-bit / 96 kHz sample rate, Multi-Bit Sigma-Delta Modulator

Video

- Format: PAL / NTSC (auto-detection)
- Output: 1 Vp-p (75-ohm)
- Input: 1 Vp-p (75-ohm)

CD / MP3

- CD Text compatible
- ID3 Tag compatible
- Directory Search (MP3 Only)
- Burn up to 999 MP3 Files onto a CD-R/-RW
- Recognition of up to 8 folder levels

FM Tuner

- RDS (Radio Data System): AF (Alternative Frequencies), CT (Clock Time), EON (Enhanced Other Networks), PS (Program Service), PTY (Program Types), RT (Radio Text), TA (Traffic Announcement), TP (Traffic Program)
- Tuning Range: 87.5 MHz – 107.9 MHz
- 18 station presets
- Local/Distance
- Mono Sensitivity (-30 dB): 9 dB
- Quieting Sensitivity (-50dB): 15 dBf
- Alternate Channel Selectivity: 70 dB
- Quieting Sensitivity (1kHz): 58 dB
- Frequency Response: 30 Hz – 15 kHz, -3 dB

AM Tuner

- Tuning Range: 522 kHz – 1620 kHz
- 12 station presets

Navigation system

- NAV Engine Software iGo Primo 2
- TMC
- Text to Speech function
- 8 GB Micro SD card
- GPS antenna

- Maps for 44 European countries
Western European countries: Andorra, Austria, Belgium, Denmark, Finland, France, Germany, Gibraltar, Republic of Ireland, Italy, Liechtenstein, Luxemburg, Malta, Monaco, Netherlands, Norway, Portugal, San Marino, Spain, Sweden, Switzerland, Great Britain, Vatican City
Eastern European countries: Albania, Belarus, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Estonia, Greece, Hungary, Latvia, Lithuania, Macedonia, Moldova, Montenegro, Poland, Romania, Serbia, Slovakia, Slovenia, Turkey, Ukraine
- 15 TTS languages (Text to Speech, announcement of road names) Danish, Dutch, English (UK), English (US), Finnish, French, German, Greek, Italian, Norwegian, Polish, Portuguese, Spanish, Swedish, Turkish
- Navigation mix mode
- Latest Map Guarantee, map update on www.naviextras.com (within 30 days after first reception of a GPS signal)

Bluetooth

- Hands-Free operation via internal microphone
- Audio streaming
- MTK MT6622 Bluetooth module with AVRCP/A2DP profile

Monitor

- Screen Size: 16 cm / 6.2" Digital LCD Touchscreen with LED backlight
- Screen Type: High Definition TFT monitor with LCD display (Liquid Crystal Display)
- Resolution: 1,152,000 sub pixels, 800x3 (W) X 480 (H)
- Dimmer function for TFT monitor (Night, Dark, Normal, Bright)
- Auto blackout function for TFT monitor (10s/20s/Off)

Power Ratings

- Total power output: 160 watts
- Power Output: 4 x 40 watts /
- Signal to Noise Ratio: 70dBA below reference (Reference: 1 Watt, 4-Ohms)
- Frequency Response: 20 Hz - 20 kHz, -3dB (AUX Input used as reference input)